

Re: Generator Set Quotation for: Consolidated Fire Station

One Caterpillar Generator Set equipped as follows:

Description	
<i>D125-6, 125kw</i>	AREP Excitation System
EP-NON.RENTAL (enclosed)	Low Fuel Level Alarm Std
PUBLIC OR CIVIL SERVICES	PW Low Fuel Level Alarm Std
STANDBY POWER	Low Coolant temp alarm
60Hz 3PH 208/120v	Low Coolant shutdown circuit
STANDBY POWER APPLICATION	ADEM Governor
156 KVA W/FAN	Coolant Heater
NFPA 110 Upgrade	50%
UL Certification	Canopied Silencer System
120Vac Contact Point for Coolant Heater and Battery Charger	English Language
60 Hz	Factory Test Report
1800 RPM	<i>CAT CTG 400A 3 Pole ATS</i>
Weatherproof Enclosure	<i>Test Switch</i>
EMCP3.2 Common Control Panel	<i>Auxiliary contact - Normal</i>
Battery Charger UL 3A	<i>Auxiliary contact - Emerg</i>
UL Listed Fuel Tank 24Hr	<i>Programmable exerciser</i>
Single 3 Pole UL Breaker	<i>NEMA 3R ENCLOSURE 400A</i>
Voltage adjust potentiometer	<i>Delivery To Jobsite</i>
Local Alarm Horn c/w mute	<i>Factory Tech Startup</i>
Audible Alarm Siren	
Volt Free Contacts for Alarm	
Gen Running Relay	
Remote Annunciator 16 Channel with ENCLOSURE 1	
Control Panel Chassis reqd	

Re: Generator Set Quotation for: Fairview Fire Station

One Caterpillar Generator Set equipped as follows:

Description	
C9 250kw	Low Fuel Level Alarm Std
EP-NON RENTAL (enclosed)	PW Low Fuel Level Alarm Std
PUBLIC OR CIVIL SERVICES	Low Coolant temp alarm
STANDBY POWER	Low Coolant shutdown circuit
60Hz 3PH 208/120v	ADEM Governor
STANDBY POWER APPLICATION	Coolant Heater
312 KVA W/FAN	50% Coolant
NFPA 110 Upgrade	Canopied Silencer System
UL Certification	English Language
120Vac Contact Point for Coolant Heater and Battery Charger	Factory Test Report
60 Hz	<i>CAT CTG 800A 3 Pole ATS</i>
1800 RPM	<i>Test Switch</i>
Sound Attenuated Enclosure	<i>Auxiliary contact - Normal</i>
EMCP3.2 Common Control Panel	<i>Auxiliary contact - Emerg</i>
Battery Charger UL 3A	<i>Programmable exerciser</i>
UL Listed 700Gal Fuel Tank	<i>NEMA 3R ENCL 800A</i>
Single 3 Pole UL Breaker	<i>Delivery to Jobsite</i>
Voltage adjust potentiometer	<i>Factory Tech Startup</i>
Local Alarm Horn c/w mute	
Audible Alarm Siren	
Volt Free Contacts for Alarm	
Gen Running Relay	
5Year ESC on Generator	
Local Annunciator	
AREP Excitation System	

Re: Generator Set Quotation for: Prosperity Fire Station

One Caterpillar Generator Set equipped as follows:

Description	
<i>D150-6 150kw</i>	Gen Running Relay
EP-NON RENTAL (enclosed)	Remote Annunciator
PUBLIC OR CIVIL SERVICES	Control Panel Chassis reqd
STANDBY POWER	AREP Excitation System
60Hz 3PH 208/120v (f)	Low Fuel Level Alarm Std
STANDBY POWER APPLICATION 02	PW Low Fuel Level Alarm Std
187 KVA W/FAN	Low Coolant temp alarm
NFPA 110 Upgrade	Low Coolant shutdown circuit
UL Certification	ADEM Governor
120Vac Contact Point for Coolant Heater and Battery Charger	Coolant Heater
60 Hz	50% Coolant
1800 RPM	Canopied Silencer System
Weatherproof Enclosure (h)	English Language
EMCP3.2 Common Control Panel	Factory Test Report
Battery Charger UL 3A	<i>CAT CTG 400A 3 Pole ATS</i>
Lead Acid Battery DRY	<i>Test Switch</i>
UL Listed Fuel Tank 24Hr (c)	<i>Auxiliary contact - Normal</i>
Single 3 Pole UL Breaker	<i>Auxiliary contact - Emerg</i>
Voltage adjust potentiometer	<i>Programmable exerciser</i>
Local Alarm Horn c/w mute	<i>NEMA 3R ENCL 400A</i>
Audible Alarm Siren	Delivery To Jobsite
Volt Free Contacts for Alarm	Factory Tech Startup

Re: Generator Set Quotation for: Silverstreet Fire Station

One Caterpillar Generator Set equipped as follows:

Description	
<i>D125-6. 125kw</i>	AREP Excitation System
EP-NON RENTAL (enclosed)	Low Fuel Level Alarm Std
PUBLIC OR CIVIL SERVICES	PW Low Fuel Level Alarm Std
STANDBY POWER	Low Coolant temp alarm
60Hz 3PH 208/120v	Low Coolant shutdown circuit
STANDBY POWER APPLICATION	ADEM Governor
156 KVA W/FAN	Coolant Heater
NFPA 110 Upgrade	50%
UL Certification	Canopied Silencer System
120Vac Contact Point for Coolant Heater and Battery Charger	English Language
60 Hz	Factory Test Report
1800 RPM	<i>CAT CTG 400A 3 Pole ATS</i>
Weatherproof Enclosure	<i>Test Switch</i>
EMCP3.2 Common Control Panel	<i>Auxiliary contact - Normal</i>
Battery Charger UL 3A	<i>Auxiliary contact - Emerg</i>
UL Listed Fuel Tank 24Hr	<i>Programmable exerciser</i>
Single 3 Pole UL Breaker	<i>NEMA 3R ENCLOSURE 400A</i>
Voltage adjust potentiometer	<i>Delivery To Jobsite</i>
Local Alarm Horn c/w mute	<i>Factory Tech Startup</i>
Audible Alarm Siren	
Volt Free Contacts for Alarm	
Gen Running Relay	
Remote Annunciator 16 Channel with ENCLOSURE 1	
Control Panel Chassis reqd	